

This file has been cleaned of potential threats.

If you confirm that the file is coming from a trusted source, you can send the following SHA-256 hash value to your admin for the original file.

871891e97a7f18a3d3226b78a1e6a0dcfb6da24aedb505ecdff6178dbf009f36

To view the reconstructed contents, please SCROLL DOWN to next page.



ROADS TO POLLUTION: BRAZIL'S AQUATIC BIODIVERSITY AFFECTED BY TRUCK LEAKS

Valter Monteiro Azevedo-Santos^{1,2,3*}, Vanessa Salete Daga⁴ & Philip Martin Fearnside⁵

¹ Universidade Federal do Tocantins, Programa de Pós-Graduação em Biodiversidade, Ecologia e Conservação, Rua 03, Quadra 17, Lote 11, Jardim dos Ipês I, CEP: 77500-000, Porto Nacional, TO, Brazil.

² Faculdade Eduvale de Avaré, Av. Pref. Misael Eufrásio Leal, 347, Centro, CEP: 18705-050, Avaré, SP, Brazil.

³ Universidade Federal do Pará, Núcleo de Ecologia Aquática e Pesca da Amazônia, Grupo de Ecologia Aquática, Avenida Perimetral, 2651, Guamá, CEP: 66.075-750, Belém, PA, Brazil.

⁴ Researcher, 1632 Hanover Ave, Postal Code 32725, Deltona, FL, United States.

⁵ Instituto Nacional de Pesquisas da Amazônia, Av. André Araújo, 2936, Bairro Petrópolis, CEP: 69067-375, Manaus, AM, Brazil.

E-mails: valter.ecologia@gmail.com (*corresponding author); vanedaga@yahoo.com.br; pmfearn@inpa.gov.br

Abstract: Roads are responsible for various negative impacts on terrestrial and aquatic biodiversity. However, the negative effects of roads used by vehicles on aquatic biodiversity have been little explored. In this study, based on reports obtained from digital media and technical reports, we provide an overview of the pollution in Brazilian aquatic ecosystems caused by leakage from trucks. We found 73 truck leaks that reached Brazilian waterbodies, polluting them with fuel, pesticides and other substances. Pollution events caused the deaths of crustaceans, fish, and other vertebrates. According to the data obtained in our search, fish were the most impacted group, with records of at least 20 tons killed from a single spill. Measures must be adopted to prevent the entry of pollutants into waterbodies through truck leaks.

Keywords: Chemical products; fish deaths; fuel; oil spills; pesticide

INTRODUCTION

Roads are highly impactful for biodiversity in all parts of the planet. Some notable consequences are deforestation (Fearnside 1987, Laurance & Arrea 2017), deaths of animals run over by vehicles (Coelho *et al.* 2008, Kocolek *et al.* 2011, Grilo *et al.* 2018, Carvalho-Roel *et al.* 2021) and habitat fragmentation (Brezão *et al.* 2020). Roads can impact aquatic ecosystems in various ways (*e.g.*, Brezão *et al.* 2020), although these impacts are less documented than those in terrestrial ecosystems. For example, roads can block fish

movements within and between waterbodies (Makrakis *et al.* 2012, Stegmann *et al.* 2019). Roads open the opportunity for numerous activities — both legal and illegal — with negative impacts on ecosystems, especially aquatic ones (Laurance *et al.* 2009, Azevedo-Santos *et al.* 2021). This situation is likely to worsen in the coming decades, since there is a trend towards the construction of new roads (or reactivation of abandoned ones) in some of the world's most biodiverse areas (*e.g.*, the Brazilian Amazon; see Ferrante *et al.* 2020).

Leakage of pollutants from trucks into aquatic environments occurs for reasons such

as collisions, mechanical problems, and lack of vehicle maintenance. In Brazil, and in the world in general, little is known about how leaks from trucks affect aquatic biodiversity (*e.g.*, Masnik *et al.* 1976, McCleneghan *et al.* 2002, Etkin 2011). For Brazil, we only know of one scientific article that reports on leakage and the pollution of waterbodies, documenting a massive die-off of freshwater organisms (Azevedo-Santos *et al.* 2018). Because cargo in Brazil is mainly transported by trucks (de Paula Junior & Lopes 2020), which frequently carry large quantities of toxic substances (*e.g.*, fuels) and travel along roads that cross on or are near to watercourses (see

Figure 1), we expect that leaks from these vehicles in the country will be greater than currently documented in scientific literature.

When there is an assessment of a truck leak in a waterbody, the data are usually not made available — with the exception of a very few technical reports (CETESB 2020). This makes information from the internet an important source of data. Digital media and technical reports can help us understand a variety of problems in biodiversity conservation (El Bizri *et al.* 2015, Ryan 2018, Ferraz *et al.* 2019, Azevedo-Santos *et al.* 2021, Magalhães *et al.* 2021). Based on information from these sources, we provide a comprehensive overview




Figure 1. Federal roads (in red) crossing major rivers (in blue) in Brazil. We prepared the image in Quantum GIS software (QGIS Development Team 2018) using shapefiles of federal roads (from ONTL 2020) and main rivers (*sensu* ANA 2018).

of how truck leaks impact Brazilian aquatic environments with an emphasis on biodiversity.

MATERIAL AND METHODS

The search for digital media and technical reports was carried out between September 2020 and February 2021 using Google^{BR} (<https://www.google.com.br/>) and considered events in any year. For this search we used the combination of the term “*vazamento de caminhão*” (truck leak) with the following words: “*rio*” (river), “*córrego/ribeirão/riacho*” (stream), “*praia*” (beach), “*lago*” (lake), “*mangue*” (mangrove), “*estuário*” (estuary), “*poluição*” (pollution), “*óleo*” (oil), “*rio Amazonas*” (Amazon River), “*mar*” (sea), “*morte de peixes*” (fish death), “*morte de camarão*” (shrimp death), “*oceano Atlântico*” (Atlantic Ocean), “*morte de animal*” (animal death) and “IAP” (the Brazilian acronym for Paraná Environmental Institute). We also searched documents in the Environmental Company of São Paulo State (CETESB), looking for data on fish mortality in the Inland Waters section (CETESB 2020). The keyword “IAP” and the company CETESB were included in our search because we only recorded reports mentioning these entities and decided to do a detailed search on these institutions. We made sure that the information provided in CETESB (2020) was not the same as that already registered in the search using digital media.

From each record we extracted (when available) information regarding the aquatic environment affected (e.g., lake, river, stream) and the name of the pollutant (the chemical agent, e.g., hydrochloric acid). For the compounds retrieved in the search, we extracted (when available) the quantity leaked (liters or kg) from a truck. We also compiled information regarding the municipality (county) where the truck leak occurred, the state, and the hydrographic region (this last being based on ANA 2020). Lastly, we extracted from the records information regarding the impacts on biodiversity and the quantity of dead organisms (when available), as well as the year of the truck leak.

RESULTS

We found 73 events of truck leaks across Brazilian regions, based on 65 incidents reported in digital

news media and eight in technical reports. Fuel is among the most-frequently reported leaked substances, but other pollutants, such as pesticides, acids, and organic substances, were also reported (Table 1). Pollutants recorded here leaked in quantities that ranged from 9 to >35,000 liters, and from 13,000 to 37,000 kg (Table 1). Truck leaks resulted in the pollution of such aquatic environments as reservoirs, groundwater, lakes, streams, and rivers, as well as marine ecosystems, including pollution carried to the ocean by streams and rivers. Watercourses in several Brazilian states received pollutants from truck leaks (Table 1).

Of the 73 truck leak events, only 23 reported animal deaths, including crustaceans, fish and other vertebrates (Table 1). Of the taxonomic groups reported, fish death was the most notable, mentioned in all 23 truck-leak events (Table 1). Only four of these reports indicated the magnitude of the impact on biodiversity and ecosystem services.

DISCUSSION

Our study is the broadest ever carried out on truck leaks and their impacts on aquatic biodiversity in Brazil. We found 73 truck-leak events causing negative impacts on marine and freshwater environments, with several cases of animal kill. However, our results are almost certainly underestimated because some vehicle accidents have undoubtedly not been covered by digital media, and the technical reports were limited to São Paulo State.

Fuel was the most frequent pollutant leaked from trucks, and the release of this substance caused the death of animals in aquatic ecosystems (Table 1). Therefore, although many of the reports we consulted did not provide information concerning the negative impacts of fuel leaked from trucks on aquatic biodiversity, it is likely that these impacts occurred.

Brazilian streams generally hold high biodiversity (Castro & Polaz 2020, Castro *et al.* 2020, Firmiano *et al.* 2021, Manoel & Uieda 2021), and in numerous cases the streams harbor threatened species (e.g., Bueno & Shimizu 2008; Trevisan & Santos 2014). Truck leaks in these small watercourses, therefore, may disrupt biodiversity beyond fishes.

Table 1. Leaked pollutants from trucks that were reported in Brazil. Key references in Supplementary Material. NF: information not found.

| Pollutant | Quantity of pollutant leaked -Liters (L) or kilograms (kg) | Affected environment | Hydrographic region | Municipality (County) | State | Impacts on biodiversity | Quantity of dead fish (kg) | Year | Key references |
|-------------------|--|----------------------|---------------------|-------------------------|-------------------|---|----------------------------|------|-----------------|
| Ferric chloride | ca. 200 L | Stream | Paraná | Campinas | São Paulo | NF | NF | 1998 | 1 |
| Sulfuric acid | 17,000 L | Stream | Paraná | Rio Claro | São Paulo | NF | NF | 1999 | 2 |
| Fuel | 34,000 L | Reservoir | Paraná | São José do Rio Preto | São Paulo | Fish | NF | 2006 | 3 |
| Alkyd resin | ca. 13,000 kg | Stream | South Atlantic | NF | Paraná | NF | NF | 2006 | 4 |
| Acid | 4,000 L | River | Southeast Atlantic | NF | São Paulo | Fish | NF | 2007 | 5 |
| Fuel | 25,000 L | River | South Atlantic | Tubarão | Santa Catarina | NF | NF | 2008 | 6 |
| Oil | 10,000 L | River | Southeast Atlantic | João Monlevade/ Itabira | Minas Gerais | NF | NF | 2008 | 7 |
| Pesticide | 1,500 L | River | Southeast Atlantic | Resende | Rio de Janeiro | Fish, crustaceans, reptiles, mammals, and birds | >20,000 | 2008 | 8, 9, 10 and 11 |
| Hydrochloric acid | ca. 15,000 L | Stream | Paraná | Planura | Minas Gerais | NF | NF | 2008 | 12 |
| Aluminum sulfate | ca. 8,000 L | Stream | South Atlantic | Guaratuba | Paraná | Fish | NF | 2008 | 13 |
| Fuel | ca. 6,000 L | Stream | Uruguay | São Pedro do Sul | Rio Grande do Sul | NF | NF | 2009 | 14 |
| Lubricant oil | NF | River | Southeast Atlantic | Areal | Rio de Janeiro | NF | NF | 2009 | 15 |
| Fuel | ca. 10,000 L | Stream | Southeast Atlantic | Sapucaia | Rio de Janeiro | NF | NF | 2009 | 16 |

Table 1. ...continued

| Pollutant | Quantity of pollutant leaked -Liters (L) or kilograms (kg) | Affected environment | Hydrographic region | Municipality (County) | State | Impacts on biodiversity | Quantity of dead fish (kg) | Year | Key references |
|---------------------|--|----------------------|---------------------|-----------------------|-----------------------|-------------------------|----------------------------|------|----------------|
| Phosphoric acid | ca. 2,000 L | NF | NF | Guaratuba/Garuva | Paraná/Santa Catarina | NF | NF | 2010 | 17 |
| Oil | >13,000 L | Stream | East Atlantic | Riachão do Jacuípe | Bahia | Fish | >10,000 | 2010 | 18 |
| Lubricant oil | 5,000 L | Stream | Paraná | Cascavel | Paraná | NF | NF | 2011 | 19 |
| Fuel | ca. 15,000 L | Stream-Ocean | Southeast Atlantic | Maresias | São Paulo | Fish and crustaceans | NF | 2012 | 20 |
| Fuel | NF | Stream | Uruguay | Maraú/Passo Fundo | Rio Grande do Sul | NF | NF | 2012 | 21 |
| Oil | ca. 37,000 kg | Stream | Tocantins-Araguaia | Vila Propício | Goiás | NF | NF | 2012 | 22 |
| Fuel | NF | Stream | Southeast Atlantic | São Sebastião | São Paulo | Fish | NF | 2012 | 23 |
| Fuel | 25,000 L | Stream | Paraná | Ourinhos | São Paulo | NF | NF | 2013 | 24 |
| Aluminum sulfate | NF | Stream | South Atlantic | Jaraguá do Sul | Santa Catarina | NF | NF | 2013 | 25 |
| Fuel | NF | Stream | East Atlantic | Jequié | Bahia | NF | NF | 2014 | 26 |
| Fuel | NF | Stream | Paraná | Goiânia | Goiás | NF | NF | 2014 | 27 |
| Hydrochloric acid | 29,000 L | Stream | Paraná | Itapevi | São Paulo | NF | NF | 2014 | 28 |
| Fuel | ~20,000 L | Ocean | South Atlantic | Florianópolis | Santa Catarina | NF | NF | 2014 | 29 |
| Industrial effluent | NF | Stream | South Atlantic | Florianópolis | Santa Catarina | NF | NF | 2014 | 30 |
| Bitumen (oil) | ~30,000 L | River | Amazon | Santarém | Pará | Fish | NF | 2014 | 31 and 32 |

Table 1. Continues on next page...

Table 1...continued

| Pollutant | Quantity of pollutant leaked -Liters (L) or kilograms (kg) | Affected environment | Hydrographic region | Municipality (County) | State | Impacts on biodiversity | Quantity of dead fish (kg) | Year | Key references |
|---------------------|--|---------------------------------------|----------------------------|--------------------------------|------------------------|-------------------------|----------------------------|------|----------------|
| Fuel | ca. 3,000 L | Stream | South Atlantic | Porto Alegre | Rio Grande do Sul | NF | NF | 2014 | 33 |
| Unspecified | NF | River | Southeast Atlantic | Cruzeiro | São Paulo | Fish | NF | 2014 | 34 |
| Black liquor | NF | Stream | Paraná | Itaporanga | São Paulo | NF | NF | 2015 | 35 |
| Fuel | NF | Stream | Eastern Northeast Atlantic | Sobral | Ceará | NF | NF | 2015 | 36 |
| Fuel | NF | Ocean | Southeast Atlantic | Santos | São Paulo | Fish | NF | 2015 | 37 |
| Unspecified | NF | Stream | Paraná | Santa Isabel | São Paulo | Fish | NF | 2015 | 37 |
| Unspecified | NF | Reservoir | Paraná | Gastão Vidigal | São Paulo | Fish | NF | 2015 | 37 |
| Fuel | NF | Stream | East Atlantic | Ipira | Bahia | Fish | NF | 2016 | 38 |
| Unspecified | NF | River | Southeast Atlantic | Itatiaia | Rio de Janeiro | Fish | NF | 2016 | 39 |
| Liquid asphalt | 30,000 L | River | Uruguay | Flores da Cunha/ Antônio Prado | Rio Grande do Sul | NF | NF | 2017 | 40 |
| Liquid fertilizer | NF | Reservoir (possibly reaching a river) | Paraná | Canápolis | Minas Gerais | Fish | NF | 2017 | 41 |
| Sodium hypochlorite | ca. 7,000 L | River-Ocean | Southeast Atlantic | São Sebastião | São Paulo | Fish and crustaceans | NF | 2017 | 42 |
| Sulfuric acid | NF | River | Southeast Atlantic | Cajati | São Paulo | Fish | NF | 2017 | 43 |
| Fuel | ca. 10,000 L | River | Uruguay | Seara/ Arvoredo | Santa Catarina | NF | NF | 2018 | 44 |
| Fuel and pesticide | 25,000 L and 13,000 L | River | South Atlantic | Guaratuba/ Garuva | Paraná/ Santa Catarina | Fish | 3,000 | 2018 | 45 |

Table 1. Continues on next page...

Table 1. ...continued

| Pollutant | Quantity of pollutant leaked -Liters (L) or kilograms (kg) | Affected environment | Hydrographic region | Municipality (County) | State | Impacts on biodiversity | Quantity of dead fish (kg) | Year | Key references |
|---------------------|--|----------------------|---------------------|-----------------------|-----------------------|-------------------------|----------------------------|------|----------------|
| Multiple | NF | Stream | Tocantins-Araguaia | Niquelândia | Goiás | NF | NF | 2018 | 46 |
| Fuel | NF | Stream | Uruguay | Maraú/Passo Fundo | Rio Grande do Sul | NF | NF | 2018 | 47 |
| Fuel | NF | River | Southeast Atlantic | Magé | Rio de Janeiro | NF | NF | 2018 | 48 |
| Bovine blood | 10,000 L | River | Tocantins-Araguaia | Goiás | Goiás | NF | NF | 2018 | 49 |
| Fuel | NF | Stream | Paraná | Cascavel | Paraná | NF | NF | 2018 | 50 |
| Fuel and osmose k33 | NF | River | South Atlantic | Guaratuba | Paraná | Fish and crustaceans | 200 | 2018 | 51 and 52 |
| Fuel | ~8,000 L | Groundwater | Southeast Atlantic | Santos | São Paulo | NF | NF | 2018 | 53 |
| Whey | NF | Stream | Uruguay | Mondáí | Santa Catarina | NF | NF | 2018 | 54 |
| Pesticide | NF | Stream | Paraguay | Alto Paraguai | Mato Grosso | NF | NF | 2019 | 55 |
| Fuel | ~300 L | River | Uruguay | Nova Itaberaba | Santa Catarina | NF | NF | 2019 | 56 |
| Industrial oil | NF | River | South Atlantic | Guaratuba/Garuva | Paraná/Santa Catarina | NF | NF | 2019 | 45 and 57 |
| Fuel | NF | Stream | Paraná | Sorocaba | São Paulo | NF | NF | 2019 | 58 |
| Ink | NF | Stream | Uruguay | Farroupilha | Rio Grande do Sul | NF | NF | 2019 | 59 |
| Fuel | 400 L | Stream | Paraná d'Oeste | Santa Bárbara d'Oeste | São Paulo | NF | NF | 2019 | 60 |

Table 1. Continues on next page...

Table 1...continued

| Pollutant | Quantity of pollutant leaked -Liters (L) or kilograms (kg) | Affected environment | Hydrographic region | Municipality (County) | State | Impacts on biodiversity | Quantity of dead fish (kg) | Year | Key references |
|---------------------------|--|----------------------|---------------------|-----------------------|----------------|-------------------------|----------------------------|------|----------------|
| Fuel | NF | Stream | South Atlantic | Corupá | Santa Catarina | NF | NF | 2019 | 61 |
| Asphalt emulsion | ~30,000 kg | River | Amazon | Santarém | Pará | NF | NF | 2019 | 62 |
| Hydrochloric acid | NF | Lake | Paraná | Bragança Paulista | São Paulo | Fish | NF | 2019 | 63 |
| Fuel | NF | Stream | Southeast Atlantic | Guararema | São Paulo | Fish | NF | 2019 | 63 |
| Fuel | NF | Stream | Paraná | Mogi Mirim | São Paulo | Fish | NF | 2019 | 63 |
| Fuel | NF | River | Paraná | Mogi Guaçu | São Paulo | NF | NF | 2020 | 64 |
| Fuel | >35,000 L | Stream | Paraná | Monte Castelo | São Paulo | NF | NF | 2020 | 65 |
| Aerosol | 4,000 L | River | Paraná | Campo Limpo Paulista | São Paulo | NF | NF | 2020 | 66 |
| Fuel | 13,000 L | Stream | São Francisco | Belo Horizonte | Minas Gerais | NF | NF | 2020 | 67 |
| Vegetable oil | NF | Stream | Paraná | Prudentópolis | Paraná | NF | NF | 2020 | 68 |
| Fuel | 22,000 L | Stream | Paraná | Tre s Lagoas | Gross do Sul | NF | NF | 2020 | 69 |
| Fuel and milk | ca. 100 L and ca. 7,000 L | Stream | Paraná | Ituiutaba | Minas Gerais | NF | NF | 2020 | 70 |
| Fuel | NF | Stream | Southeast Atlantic | Bela Vista de Minas | Minas Gerais | NF | NF | 2020 | 71 |
| Fuel | ca. 9 L | River | Amazon | Santar em | Par  | NF | NF | 2020 | 72 |
| Fuel | 5,000 L | Stream | S o Francisco | Oliveira | Minas Gerais | NF | NF | 2020 | 73 |
| Chromated copper arsenate | NF | River | South Atlantic | Guaratuba/ Garuva | Santa Catarina | Fish | NF | 2021 | 74 and 75 |

Fish was the taxonomic group with the greatest number of records of death due to truck leaks. In general, individuals of this group are relatively large organisms (as compared, for instance, with aquatic insect larvae), and they are easy to detect when dead. We also believe that, in contrast to other taxonomic groups such as aquatic insects, the fact that fish are commonly used directly by humans for food or as pets may increase the focus that this group receives when news or technical reports are written.

Some events found here were extremely harmful, as in the case of pesticide released into the Paraíba do Sul River basin, killing >20,000 tons of fish in the region (Table 1). Numerous species in this watershed are threatened with extinction (ICMBio 2018), and this single event may have affected them. For example, a report (Key reference 11 in Table 1) mentioned an impacted fish, the “cascudo preto,” presumably *Pogonopoma parahybae* (Steindachner, 1877)—a species listed as “endangered” (EN) in the Brazilian Red List (Akama *et al.* 2018). This case in the Paraíba do Sul River shows that the country’s authorities need to rethink the free transit of trucks with dangerous cargoes close to large rivers or freshwater areas with threatened species.

The records found here draw attention to a number of concerns. For example, practically all federal roads cross major rivers in Brazil (Figure 1). The situation is even more complex if we consider the countless streams that are crossed by federal, state or municipal roads. As shown here, traffic accidents and the consequent leakage of pollutants can result in large losses of biodiversity in aquatic environments. Biodiversity in marine protected areas may also be affected by truck leaks in continental areas (*e.g.*, coastal rivers) due to the connectivity of fluvial ecosystems with the ocean [see Azevedo-Santos *et al.* (2019) on the propagation of negative impacts]. This is reinforced by the fact that half of the pollution events at sea reported here occurred through truck leaks into continental waterbodies (Table 1).

The leakage of pollutants from trucks suggests that current plans for new infrastructure should be reviewed, especially in areas with high aquatic biodiversity. For example, Brazil has extensive plans for road construction in the Amazon (Ferrante *et al.* 2020), which is the world’s richest region in aquatic organisms (Azevedo-Santos *et al.*

2016). The record of truck leaks and fish deaths in an Amazon tributary (Table 1) suggests that new roads will put aquatic biodiversity at risk (Fearnside *et al.* 2021), along with terrestrial ecosystems and traditional communities (Ferrante & Fearnside 2020, Ferrante *et al.* 2020). For example, the route of the controversial highway BR-319 (Manaus-Porto Velho) in the Amazon region, which is planned for reconstruction to allow truck traffic, intersects 242 watercourses (Stegmann *et al.* 2019).

In Brazil, transport of cargo (*e.g.*, fuel) is largely handled by trucks. This became notorious during the recent truckers’ strike, which left various parts of the country without basic supplies (de Paula Junior & Lopes 2020). Considering the intense movement of cargo, especially highly hazardous cargo (*e.g.*, fuel and pesticides), measures must be adopted to prevent the entry of pollutants into waterbodies through truck leaks.

ACKNOWLEDGMENTS

We are grateful to James A. Nienow (Biology Department, Valdosta State University) for suggestions on the manuscript. PMF is supported by CNPq (Proc. 311103/2015-4, 312450/2021-4).

REFERENCES

- Akama, A., Netto-Ferreira, A.L., Paixão, A.C., Zanata, A.M., Calegari, B.B., Polaz, C.N.M., Figueiredo, C.A.A., Caneppele, D. *et al.* 2018. *Pogonopoma parahybae* (Steindachner, 1877). In: Livro Vermelho da Fauna Brasileira Ameaçada de Extinção: Volume VI – Peixes / -- 1. ed. -- Brasília, DF: ICMBio/MMA,7 v.: il.. Retrieved from <http://www.icmbio.gov.br/portal/component/content/article/10187>
- Ana (Agência Nacional de Águas e Saneamento Básico). 2018. Rios Principais (Principal Rivers). Retrieved from <https://metadados.ana.gov.br/geonetwork/srv/pt/main.home?uxml:id=fb206e35-a86e-44b3-ac3b-5c4d6833c48e>
- Ana (Agência Nacional de Águas e Saneamento Básico). 2020. Divisões Hidrográficas (Hydrographic Divisions). Retrieved from https://www.ana.gov.br/aguas-no-brasil/panorama-das-aguas/copy_of_divisoes-hidrograficas

- Azevedo-Santos, V.M., Garcia-Ayala, J.R., Fearnside, P.M., Esteves, F.A., Pelicice, F.M., Laurance, W.F., & Benine, R.C. 2016. Amazon aquatic biodiversity imperiled by oil spills. *Biodiversity and Conservation*, 25, 2831–2834. DOI: 10.1007/s10531-016-1192-9
- Azevedo-Santos, V.M., Coelho, P.N., & Deprá, G.C. 2018. Ichthyofauna of the Ribeirão Frutal and tributaries, upper Rio Paraná basin, Minas Gerais, Southeastern Brazil. *Biota Neotropica*, 18(3), e20180517. DOI: 10.1590/1676-0611-BN-2018-0517
- Azevedo-Santos, V.M., Frederico, R.G., Fagundes, C.K., Pompeu, P.S., Pelicice, F.M., Padial, A.A., Nogueira, M.G., Fearnside, P.M., Lima, L.B., Daga, V.S., Oliveira, F.J.M., Vitule, J.R.S., Callisto, M., Agostinho, A.A., Esteves, F.A., Lima-Junior, D.P., Magalhães, A.L.B., Sabino, J., Mormul, R.P., Grasel, D., Zuanon, J., Vilella, F.S., & Henry, R. 2019. Protected areas: A focus on Brazilian freshwater biodiversity. *Diversity and Distributions*, 25, 442–448. DOI: 10.1111/ddi.12871
- Azevedo-Santos, V.M., Arcifa, M.S., Brito, M.F.G., Agostinho, A.A., Hughes, R.M., Vitule, J.R.S., Simberloff, D., Olden, J.D., & Pelicice, F.M. 2021. Negative impacts of mining on Neotropical freshwater fishes. *Neotropical Ichthyology*, 19(3), e210001. DOI: 10.1590/1982-0224-2021-0001
- Bueno, S.L.S., & Shimizu, R.M. 2008. Reproductive biology and functional maturity in females of *Aegla franca* (Decapoda: Anomura: Aeglidae). *Journal of Crustacean Biology*, 28(4), 652–662.
- Brejão, G.L., Teresa, F.B., & Gerhard, P. 2020. When roads cross streams: fish assemblage responses to fluvial fragmentation in lowland Amazonian streams. *Neotropical Ichthyology*, 18(3), e200031. DOI: 10.1590/1982-0224-2020-0031
- Carvalho-Roel, C.F., Alves, G.B., Jácomo, A.T.A., Moreira, R.A., Tôrres, N.M., & Silveira, L. 2021. Wildlife roadkill in the surroundings of Emas National Park, Cerrado biome, Brazil. *Oecologia Australis*, 25(4), 795–806. DOI: 10.4257/oeco.2021.2504.01
- Castro, R.M.C., & Polaz, C.N.M. 2020. Small-sized fish: the largest and most threatened portion of the megadiverse neotropical freshwater fish fauna. *Biota Neotropica*, 20(1), e20180683. DOI: 10.1590/1676-0611-BN-2018-0683
- Castro, D.M.P., Silva, P.G., Solar, R., & Callisto, M. 2020. Unveiling patterns of taxonomic and functional diversities of stream insects across four spatial scales in the neotropical savanna. *Ecological Indicators*, 118, 106769. DOI: 10.1016/j.ecolind.2020.106769
- CETESB (Companhia Ambiental do Estado de São Paulo). 2020. Retrieved from <https://cetesb.sp.gov.br/aguas-interiores/publicacoes-e-relatorios/>
- Coelho, I.P., Kindel, A., & Coelho, A.V.P. 2008. Roadkills of vertebrate species on two highways through the Atlantic Forest Biosphere Reserve, southern Brazil. *European Journal of Wildlife Research*, 54(4), 689–699. DOI: 10.1007/s10344-008-0197-4
- de Paula Junior, A., & Lopes, R.L. 2020. Truck drivers' strike: the most affected sectors and their space dependences. *Revista Brasileira de Gestão e Desenvolvimento Regional*, 16(2), 472–483.
- El Bizri, H.R., Morcatty, T.Q., Lima, J.J.S., & Valsecchi, J. 2015. The thrill of the chase: uncovering illegal sport hunting in Brazil through YouTube™ posts. *Ecology and Society*, 20(3), 30. DOI: 10.5751/ES-07882-200330
- Etkin, D.S. 2011. Spill occurrences: a world overview. In: M. Fingas (Ed.). *Oil spill science and technology*. 1st edition. Gulf Professional Publishing. pp. 7–48.
- Fearnside, P.M. 1987. Deforestation and international economic development projects in Brazilian Amazonia. *Conservation Biology*, 1(3), 214–221.
- Ferrante, L., Gomes, M. & Fearnside, P.M. 2020. Amazonian indigenous peoples are threatened by Brazil's Highway BR-319. *Land Use Policy*, 94, 104548. DOI: 10.1016/j.landusepol.2020.104548
- Ferrante, L., & Fearnside, P.M. 2020. The Amazon's road to deforestation. *Science*, 369, 634. DOI: 10.1126/science.abd6977
- Fearnside, P.M., Berenguer, E., Armenteras, D., Duponchelle, F., Guerra, F.M., Jenkins, C.N., Bynoe, P., García-Villacorta, R., Guerra, F.M., Macedo, M., Val, A.L., & de Almeida-Val, V.M.F. 2021. Drivers and impacts of changes in aquatic ecosystems. Chapter 20 In: C. Nobre, & A. Encalada (Eds.) *Amazon Assessment Report 2021. Science Panel for the Amazon (SPA)*. United Nations Sustainable Development Solutions Network, New York, USA. Part II, pp.

- 305-343. <https://www.theamazonwewant.org/amazon-assessment-report-2021/>
- Ferraz, J.D., Garcia, D.A.Z., Casimiro, A.C.R., Yabu, M.H.S., Geller, I.V., Magalhães, A.L.B., Vidotto-Magnoni, A.P., & Orsi, M.L. 2019. Descarte de peixes ornamentais em águas continentais brasileiras registrados no YouTubeTM: Ausência de informação ou crime ambiental deliberado? *Revista Brasileira de Zoociências*, 20(2), 1–20.
- Firmiano, K.R., Cañedo-Argüelles, M., Gutiérrez-Cánovas, C., Macedo, D.R., Linares, M.S., Bonada, N., & Callisto, M. 2021. Land use and local environment affect macroinvertebrate metacommunity organization in Neotropical stream networks. *Journal of Biogeography*, 48, 479–491.
- Grilo, C., Coimbra, M.R., Cerqueira, R.C., Barbosa, P., Dornas, R.A.P., Gonçalves, L.O. et al. 2018. Brazil road-kill: a data set of wildlife terrestrial vertebrate road-kills. *Ecology*, 99, 2625–2625.
- ICMBio. 2018. Instituto Chico Mendes de Conservação da Biodiversidade - Livro Vermelho da Fauna Brasileira Ameaçada de Extinção: Volume VI - Peixes / -- 1. ed. -- Brasília, DF: ICMBio/MMA, 2018.7 v.: il.. In: <http://www.icmbio.gov.br/portal/component/content/article/10187>
- Kocolek, A.V., Clevenger, A.P., ST. Clair, C.C., & Proppe, D.S. 2011. Effects of road networks on bird populations. *Conservation Biology*, 25(2), 241–249. DOI: 10.1111/j.1523-1739.2010.01635.x
- Laurance, W.F., Goosem, M., & Laurance, S.G.W. 2009. Impacts of roads and linear clearings on tropical forests. *Trends in Ecology & Evolution* 24(12): 659–669. DOI: 10.1016/j.tree.2009.06.009
- Laurance, W.F. & Arrea, I.B. 2017. Roads to riches or ruin? *Science*, 358, 442–444. DOI: 10.1126/science.aao0312
- Magalhães, A.L.B., Azevedo-Santos, V.M., & Pelicice, F.M. 2021. Caught in the act: YouTubeTM reveals invisible fish invasion pathways in Brazil. *Journal of Applied Ichthyology*, 37, 125–128. DOI: 10.1111/jai.14159
- Makrakis, S., Castro-Santos, T., Makrakis, M.C., Wagner, R.L., & Adames, M.S. 2012. Culverts in paved roads as suitable passages for Neotropical fish species. *Neotropical Ichthyology*, 10(4), 763–770. DOI: 10.1590/S1679-62252012000400009
- Manoel, P.S., & Uieda, V.S. 2021. Impacts of different monoculture types on stream benthic macroinvertebrate and fish communities. *Hydrobiologia*, 848, 691–703. DOI: 10.1007/s10750-020-04476-8
- Masnik, M.T., Stauffer, J.R., Hocutt, C.H. & Wilson, J.H. 1976. The effects of an oil spill on the macroinvertebrates and fish in a small southwestern Virginia creek. *Journal of Environmental Science and Health. Part A: Environmental Science and Engineering*, 11(4-5), 281–296. DOI: 10.1080/10934527609385771
- McClennahan, K., Reiter, G.A., Hardwick, J.E., & McGovern, P.T. 2002. Management of oil spill response and cleanup in a River Under Severe Winter Conditions. *Spill Science & Technology Bulletin*, 7, 163–172. [https://doi.org/10.1016/S1353-2561\(02\)00058-0](https://doi.org/10.1016/S1353-2561(02)00058-0)
- ONTL (Observatório Nacional de Transporte e Logística). 2020. ONTL. Retrieved from <https://ontl.epl.gov.br/>
- QGIS Development Team. 2018. QGIS Geographic Information System. Open Source Geospatial Foundation Project. Retrieved from <https://www.qgis.org/en/site/>
- Ryan PG. 2018. Entanglement of birds in plastics and other synthetic materials. *Marine Pollution Bulletin*, 135, 159–164. DOI: 10.1016/j.marpolbul.2018.06.057
- Stegmann, L.F., Leitão, R.P., Zuanon, J., & Magnusson, W.E. 2019. Distance to large rivers affects fish diversity patterns in highly dynamic streams of Central Amazonia. *PLoS One*, 14(10), e0223880. DOI: 10.1371/journal.pone.0223880
- Trevisan, A., & Santos, S. 2014. Population dynamics of *Aegla manuinflata* Bond-Buckup and Santos 2009 (Decapoda: Aeglidae), an threatened species. *Acta Limnologica Brasiliensis*, 26, 154–162.

Supplementary Material

Key references. Links for the news and technical reports cited in Table 1.

Submitted: 07 October 2021

Accepted: 13 May 2022

Published online: 10 August 2022

Associate Editor: José Oliveira-Junior

Brazil's aquatic biodiversity affected by truck leaks

ROADS TO POLLUTION: BRAZIL'S AQUATIC BIODIVERSITY AFFECTED BY TRUCK LEAKS

Valter Monteiro Azevedo-Santos^{1,2,3}, Vanessa Salete Daga⁴ & Philip Martin*

Fearnside⁵

¹ Universidade Federal do Tocantins, Programa de Pós-Graduação em Biodiversidade, Ecologia e Conservação, Rua 03, Quadra 17, Lote 11, Jardim dos Ipês I, CEP 77500-000, Porto Nacional, TO, Brazil.

² Faculdade Eduvale de Avaré, Av. Pref. Misael Eufrásio Leal, Centro, CEP 18705-050, Avaré, SP, Brazil.

³ Universidade Federal do Pará, Núcleo de Ecologia Aquática e Pesca da Amazônia, Grupo de Ecologia Aquática, Avenida Perimetral, 2651, Guamá, CEP: 66.075-750, Belém, PA, Brazil.

⁴ Researcher, 1632 Hanover Ave, Postal Code 32725, Deltona, FL, United States.

⁵ Instituto Nacional de Pesquisas da Amazônia, Av. André Araújo, 2936, Bairro Petrópolis, CEP 69067-375, Manaus, AM, Brazil.

E-mails: valter.ecologia@gmail.com (*corresponding author);
vanedaga@yahoo.com.br; pmfearn@inpa.gov.br

Supplementary Material

Key references. Links for the news and technical reports cited in Table 1.

1. <https://www1.folha.uol.com.br/fsp/campinas/cm27089809.htm>
2. <https://www.folhadelondrina.com.br/geral/accidente-provoca-vazamento-de-acido-em-corrego-que-abastece-rio-claro-148140.html>
3. <https://www1.folha.uol.com.br/fsp/cotidian/ff0910200614.htm>
4. <https://estradas.com.br/accidente-provoca-vazamento-de-resina-em-corrego-da-serra-do-mar/>
5. <https://extra.globo.com/noticias/brasil/rio-cubatao-pode-ter-sido-atingido-por-acido-654615.html?versao=am>
6. <https://www.nsctotal.com.br/noticias/vazamento-em-caminhao-contaminou-17-km-de-rio-em-santa-catarina>
7. <http://www.meioambiente.mg.gov.br/noticias/417-equipes-contem-vazamento-apos-accidente-em-joao-monlevade>
8. <https://www.otempo.com.br/cidades/contaminacao-por-pesticida-mata-20-t-de-peixes-1.276911>
9. <https://pt.globalvoices.org/2008/12/10/brasil-vazamento-de-pesticida-mata-80-ton-de-peixes-no-rj/>
10. <http://g1.globo.com/Noticias/Rio/0,,MUL871314-5606,00.html>
11. <https://www.estadao.com.br/noticias/geral,rio-agoniza-um-ano-apos-vazamento-de-pesticida,455998>
12. <https://www.otempo.com.br/cidades/caminhao-carregado-de-acido-tomba-e-carga-contamina-corrego-no-triangulo-mineiro-1.508910>
13. <https://www.folhadelondrina.com.br/cidades/accidente-provoca-vazamento-de-carga-toxica-631787.html>
14. <https://extra.globo.com/noticias/brasil/accidente-com-caminhao-provoca-vazamento-de-diesel-em-corrego-no-rio-grande-do-sul-214098.html>
15. <https://www.terra.com.br/noticias/brasil/caminhao-tomba-e-causa-vazamento-de-combustivel-no-rio,c719fa63248ea310VgnCLD200000bbcceb0aRCRD.html>
16. <https://www.dgabc.com.br/Noticia/162161/caminhao-tanque-tomba-e-provoca-vazamento-de-10-mil-litros-de-oleo-no-rio>
17. <https://www.gazetadopovo.com.br/vida-e-cidadania/produto-toxico-cai-em-rio-apos-accidente-com-caminhao-tanque-na-br-376-05ka6s0gubq5aje9r14333pla/>
18. <https://atarde.uol.com.br/bahia/salvador/noticias/1290038-vazamento-de-oleo-mata-10-toneladas-de-peixe>

19. <http://g1.globo.com/jornal-nacional/noticia/2011/02/vazamento-de-oleo-contamina-rio-que-abastece-cidade-no-parana.html>
20. <https://noticias.uol.com.br/ultimas-noticias/agencia-estado/2012/09/10/trabalho-para-descontaminacao-de-maresias-continua.htm>
21. <https://www.onacional.com.br/cidade,2/2020/05/24/retirada-de-caminhao-de-riacho,26805>
22. <https://www.aredacao.com.br/noticias/9656/capotamento-de-caminhao-provoca-vazamento-de-37-tolenadas-de-ole>
23. Appendix M (year 2012) in <https://cetesb.sp.gov.br/aguas-interiores/publicacoes-e-relatorios/>
24. <http://g1.globo.com/sp/bauru-marilia/noticia/2013/03/etanol-que-vazou-de-caminhao-pode-contaminar-corrego-em-ourinhos-sp.html>
25. <https://www.nsctotal.com.br/noticias/carreta-carregada-com-sulfato-de-aluminio-tomba-na-sc-110-em-jaragua-do-sul>
26. <https://www.correio24horas.com.br/noticia/nid/acidente-com-caminhao-mata-motorista-e-provoca-vazamento-de-combustivel-em-rio-na-bahia/>
27. <https://www.jornalopcao.com.br/ultimas-noticias/caminhao-tanque-cai-no-correiro-botafogo-ha-vazamento-de-combustivel-22847/>
28. <https://www.terra.com.br/noticias/brasil/transito/sp-acido-que-vazou-em-batida-na-castello-branco-contamina-corrego,e7a2309ad1644410VgnVCM4000009bcceb0aRCRD.html>
29. <https://ndmais.com.br/noticias/fatma-monitora-area-de-mangue-contaminada-por-vazamento-de-querosene-de-aviacao-na-costeira/>
30. <http://g1.globo.com/sc/santa-catarina/noticia/2014/04/produto-quimico-vaza-em-rio-apos-defeito-em-valvula-de-caminhao.html>
31. <https://acervo.socioambiental.org/acervo/noticias/vazamento-de-30-mil-litros-de-oleo-no-rio-amazonas-afeta-comunidade-no-pará>
32. <https://recordtv.r7.com/fala-brasil/videos/vazamento-de-oleo-mata-centenas-de-peixes-no-rio-amazonas-06102018>
33. <http://g1.globo.com/rs/rio-grande-do-sul/transito/noticia/2014/09/caminhao-que-vazou-oleo-diesel-e-retirado-de-avenida-em-porto-alegre.html>
34. Appendix N (year 2014) in <https://cetesb.sp.gov.br/aguas-interiores/publicacoes-e-relatorios/>
35. <https://www.correiobraziliense.com.br/app/noticia/brasil/2015/07/27/interna-brasil,492123/caminhao-tomba-e-carga-toxica-atinge-corrego-em-itaporanga-sp.shtml>
36. <https://diariodonordeste.verdesmares.com.br/regiao/caminhao-tanque-tomba-e-derrama-combustivel-1.1262103?page=10>

37. Appendix N (year 2015) in <https://cetesb.sp.gov.br/aguas-interiores/publicacoes-e-relatorios/>
38. <https://radiopiratuba.com.br/noticias/noticia/id:2943;empresa-e-multada-em-r-115-mil-por-poluicao-em-riacho-de-ipira.html>
39. <http://g1.globo.com/rj/sul-do-rio-costa-verde/noticia/2016/09/accidente-entre-caminhoes-e-registrado-na-dutra-em-itatiaia-rj.html>
40. <http://pioneiro.clicrbs.com.br/rs/geral/noticia/2017/09/danos-causados-por-vazamento-de-oleo-no-rio-das-antas-ainda-serao-avaliados-pela-fepam-9909790.html>
41. <https://www.tudoemdia.com/2017/03/01/adubo-liquido-vaza-de-caminhao-em-canapolis-e-causa-morte-de-peixes-no-rio-paranaiba/>
42. <https://novaimprensa.com/2017/01/vazamento-de-cloro-provoca-mortes-no.html>
43. <https://g1.globo.com/sp/santos-regiao/noticia/carga-de-acido-sulfurico-se-espalha-e-contamina-rio-no-interior-de-sp-apos-accidente.ghtml>
44. <https://www.oestemais.com.br/transito/2018/10/04/queda-de-caminhao-em-rio-provocou-vazamento-de-dez-mil-litros-de-oleo-diz-pre/>
45. <https://www.gazetadopovo.com.br/curitiba/rio-interditado-turismo-do-pr-e-sc-volta-a-ter-prejuizo-com-2-vazamento-em-1-ano-90lx2omipr150e219muwoxein/>
46. <https://excelencianoticias.com.br/2019/06/24/meio-ambiente-recupera-corrego-apos-diesel-vazar-em-accidente-fatal-com-caminhao-de-lixo/>
47. <https://www.tuaradio.com.br/Tua-Radio-Alvorada/noticias/seguranca/23-07-2018/caminhao-tomba-e-carga-inflamavel-vaza-em-corrego-na-ers-324>
48. <http://canalmage.rj.gov.br/meio-ambiente/2018/06/26/guarda-ambiental-faz-contencao-de-vazamento-de-oleo-apos-accidente-em-rio/>
49. <https://g1.globo.com/go/goias/noticia/policia-apura-danos-ambientais-apos-carga-de-sangue-bovino-cair-e-formar-mancha-no-rio-vermelho-na-cidade-de-goias.ghtml>
50. <https://tarobanews.com/noticias/transito/caminhao-cai-em-riacho-e-provoca-vazamento-de-oleo-diesel-dXygX.html>
51. <https://g1.globo.com/pr/parana/noticia/peixes-mortos-sao-encontrados-no-rio-sao-joao-apos-vazamento-de-liquido-toxico-em-accidente-em-guaratuba.ghtml>
52. <https://g1.globo.com/sc/santa-catarina/noticia/apos-vazamento-de-liquido-toxico-em-accidente-peixes-e-camaroes-mortos-sao-recolhidos-em-garuva.ghtml>
53. <https://www.diariodolitoral.com.br/cotidiano/accidente-com-caminhao-tanque-causa-vazamento-de-combustivel-em-santos/114717/>
54. <https://www.peperi.com.br/noticias/02-01-2018-soro-de-leite-vaza-de-caminhao-estacionado-e-polui-rio-uruguai-em-mondai/>

55. <https://www.olhardireto.com.br/noticias/exibir.asp?id=455965¬icia=sema-apura-se-acidente-com-caminhao-e-vazamento-de-agrotoxicos-causou-mortandade-de-peixes>
56. <https://www.peperi.com.br/noticias/10-06-2019-carreta-tomba-na-br-282-e-causa-vazamento-de-oleo-no-rio-chapeco/>
57. <https://www.bandab.com.br/cidades/defesa-civil-orienta-populacao-a-nao-usar-agua-de-rio-apos-vazamento/>
58. <https://www.jornalcruzeiro.com.br/sorocaba/caminhao-cai-e-provoca-vazamento-de-diesel-em-corrego-de-sorocaba/>
59. <https://revistanews.com.br/2019/10/05/identificados-os-responsaveis-por-vazamento-de-tinta-em-corrego-de-farroupilha/>
60. <https://liberal.com.br/cidades/s-barbara/400-litros-de-oleo-diesel-atingem-o-ribeirao-dos-toledos-1023530/>
61. <https://www.diariodajaragua.com.br/seguranca/apos-vazamento-de-combustivel-de-caminhao-segue-trabalho-de/454615/>
62. <https://www.acritica.net/editorias/geral/empresa-e-notificada-por-vazamento-de-emulsao-asfa-1639b104d77e3185e8c/369221/>
63. Appendix Q (year 2019) in <https://cetesb.sp.gov.br/aguas-interiores/publicacoes-e-relatorios/>
64. <https://mogiguacu.portaldacidade.com/noticias/policial/acidente-com-caminhao-de-combustivel-interdita-a-rodovia-sp-340-4158>
65. <https://www.biodeselbr.com/noticias/usinas/acidente/carga-de-biodesel-vaza-e-atinge-curso-que-desagua-no-rio-canoinhas-260620>
66. <https://www.itupevaagora.com.br/2020/09/vazamento-de-aerossol-no-rio-jundiai.html>
67. https://www.em.com.br/app/noticia/gerais/2020/02/19/interna_gerais,1123132/caminhao-capota-e-despeja-diesel-em-corrego-da-grande-bh.shtml
68. <https://nossagente.info/2020/08/04/prf-atende-acidente-com-vazamento-de-oleo-vegetal-na-br-373-em-prudentopolis/>
69. <https://www.campograndenews.com.br/cidades/interior/empresa-despeja-22-mil-litros-de-etanol-em-corrego-e-leva-multa-de-rs-110-mil>
70. <https://www.tudoemdia.com/2020/03/07/caminhao-tomba-e-carga-de-leite-cai-em-corrego-em-ituiutaba/>
71. <https://www.diariodoaco.com.br/noticia/0079835-antanio-dias-decreta-luto-por-morte-de-caminhoneiro-pracandidato>

72. <https://g1.globo.com/pa/santarem-regiao/noticia/2020/04/14/semma-notifica-transportadora-por-vazamento-de-oleo-no-rio-tapajos-em-santarem.ghtml>
73. <https://www.ultimasnoticias.inf.br/noticia/caminhao-carregado-com-combustivel-tomba-atinge-manancial-e-fornecimento-de-agua-e-interrompido-em-oliveira/>
74. <https://g1.globo.com/pr/parana/noticia/2021/02/13/defesa-civil-recomenda-que-agua-de-rio-em-guaratuba-nao-seja-usada-apos-vazamento-de-produto-quimico.ghtml>
75. <https://tvci.com.br/destaque/guaratuba-vazamento-de-produto-quimico-atinge-rio/>